

## LIST OF TABLES

<b>Table No.</b>		<b>Pg. No.</b>
1-1	Comparison of UWMP and ACWD's Integrated Resources Plan (IRP)	1-2
1-2	Agency Coordination	1-2
1-3	2005 Urban Water Management Plan Checklist	1-4
1-4	Projected Population in ACWD Service Area	1-6
1-5	Climate Data for ACWD Service Area	1-7
2-1	ACWD Past and Current Water Use	2-2
2-2	ACWD Water Accounts by Customer Classification	2-3
2-3	ACWD Estimated Future Water Demands from the 2004 Demand Forecast	2-6
2-4	Comparison of ACWD's 2004 Demand Forecast and SFPUC Forecast	2-8
3-1	Summary of Water Supply Availability for Existing Supplies	3-3
3-2	Summary of Potential Future Factors Influencing Supply Reliability	3-4
3-3	ACWD Supply Request and Projected Availability of SWP Supplies	3-5
3-4	ACWD Supply Request and Projected Availability of SFPUC Supplies	3-5
4-1	Summary of ACWD Groundwater Management Programs	4-7
4-2	Groundwater Budget for the Niles Cone Groundwater Basin	4-8
7-1	Summary of District Water Conservation BMP Implementation	7-3
7-2	Summary of District Water Conservation Programs	7-4
8-1	Recommended IRP Strategy and Implementation Status	8-2
8-2	Supply and Demand Comparison – Normal Year Conditions	8-6
8-3	Supply and Demand Comparison – Single Dry Year	8-8
8-4	Supply and Demand Comparison – Multiple Dry Years (2006-2010)	8-9
8-5	Supply and Demand Comparison – Multiple Dry Years (2011-2015)	8-10
8-6	Supply and Demand Comparison – Multiple Dry Years (2016-2020)	8-11

**LIST OF TABLES**  
**(Continued)**

<b>Table No.</b>		<b>Pg. No.</b>
8-7	Supply and Demand Comparison – Multiple Dry Years (2021-2025)	8-12
8-8	Supply and Demand Comparison – Multiple Dry Years (2026-2030)	8-13
9-1	Estimated Worst Case Three Year Drought Scenario	9-4
9-2	FY 2003/04 Consumption by Customer Class	9-6
9-3	Example Sensitivity Analysis for Reduction in Levels of Consumption	9-6
9-4a	Drought Management Action Plan Minimal Shortage (5-10%)	9-7
9-4b	Drought Management Action Plan Moderate Shortage (10-20%)	9-8
9-4c	Drought Management Action Plan Severe Shortage (20-30%)	9-9
9-4d	Drought Management Action Plan Critical Shortage (30-50%)	9-10
9-5	Example Rate Structures Based on Deficit	9-11