

2020 Water Quality Report

Dear ACWD Customer,

This past year, the COVID-19 pandemic presented challenges and uncertainties for the entire community. Through it all, ACWD employees stepped up and delivered on our mission and promise to provide safe drinking water to our customers. ACWD staff adjusted our operations to protect our employees and to ensure seamless service of our 24/7 operation of water treatment, supply, delivery, and emergency repairs. I thank our team and you, our customers, for your understanding during these difficult and unprecedented times.

Now, more than ever, I am proud to present you with the results of thousands of analyses conducted on your drinking water in 2020. Your water consistently met or surpassed all federal and state drinking water standards. Read this report to learn more about where your water comes from and how it is monitored to ensure its safety.



Robert Shaver, General Manager



This report contains important information about your drinking water. Translate it, or speak with someone who understands it.

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien.

Этот отчет содержит важную информацию о вашей питьевой воды.

Переведите его или поговорите с тем, кто это понимает.

”هذا التقرير يحتوي على معلومات مهمة تتعلق بمياه الشفة (أو الشرب).

ترجم التقرير، أو تكلم مع شخص يستطيع أن يفهم التقرير.“

यह सूचना महत्वपूर्ण है ।
कृपा करके किसी से :सका अनुवाद कराये ।

この報告書には上水道に関する重要な情報が記されており、翻訳を御依頼なされるか、内容をご理解なさっておられる方にお尋ね下さい。

이 안내는 매우 중요합니다.
본인을 위해 번역인을 사용하십시오.

此份有關你的食水報告，內有重要資料和訊息，請找他人為你翻譯及解釋清楚。

Mahalaga ang impormasyong ito. Mangyaring ipasalin ito.

Chi tiết này thật quan trọng. Xin nhờ người dịch cho quý vị.

Este relatório contém informações importantes sobre sua água potável. Por favor traduza-o ou fale com alguém que entenda o que está escrito.

આ રીપોર્ટ તમારા પાણી પીવા વિશે મહત્વની જાણકારી સમાવે છે.

તેનું અનુવાદ કરો, અથવા તેને જે સમજતા હોય તેવા કોઈ સાથે વાત કરો.

اس رپورٹ میں آپ کے پینے والے پانی کے بارے میں اہم معلومات دی گئی ہیں۔ اسے ترجمہ کریں یا کسی ایسے فرد سے بات کریں جو اسے سمجھ سکیں۔

این اطلاعیه شامل اطلاعات مهمی راجع به آب آشامیدنی است. اگر نمیتوانید این اطلاعات را به زبان انگلیسی

بخوانید لطفاً کسی که میتواند دیاری بگیرد تا مطالب را برای شما به فارسی ترجمه کند.



A Message from the U.S. EPA and the State Water Resources Control Board, Division of Drinking Water

A NOTE ABOUT DRINKING WATER

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. The presence of contaminants does not necessarily indicate that water poses a health risk.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (U. S. EPA) and the State Water Resources Control Board (State Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for bottled water that provide the same protection for public health. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline (800-426-4791).

INFORMATION FOR THE IMMUNO-COMPROMISED

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. U.S. EPA/Centers for Disease Control guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).



Comprehensive Water Quality Monitoring

ACWD works diligently to ensure that your water complies with all state and federal drinking water standards. This is a comprehensive effort that includes monitoring and testing for many types of contaminants that may be present in source water (i.e., water before treatment), including:

- **Microbials**, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- **Inorganics**, such as salts and metals, that can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- **Pesticides and herbicides**, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- **Organic chemicals**, including synthetic and volatile organic chemicals that are byproducts of industrial processes and petroleum production, or that may come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- **Radioactive contaminants**, that can be naturally occurring or be the result of oil and gas production and mining activities.

Highly trained analysts and certified water treatment plant operators in our state-certified laboratory and satellite laboratories are committed to conducting these tests under a stringent Quality Assurance/Quality Control (QA/QC) program. Through written procedures, analytical proficiency testing, and detailed record maintenance, the QA/QC program ensures the quality of the analytical data produced by our laboratories. ACWD staff members collect samples daily from the water sources, treatment facilities, and distribution system to ensure only high quality water is delivered to our customers.



Drinking Water Source Assessment

ACWD drinking water sources include local groundwater, surface water and purchased San Francisco water. Drinking Water Source Assessments are conducted to determine how vulnerable drinking water sources are to contamination. Assessments have been completed for all of ACWD's water sources.

- The San Francisco Public Utilities Commission (SFPUC) conducts watershed sanitary surveys for the Hetch Hetchy source annually and non-Hetch Hetchy surface water sources every five years. The latest sanitary survey for the non-Hetch Hetchy watersheds were completed in 2021 for the period of 2016-2020. The purposes of the surveys are to evaluate the sanitary conditions and water quality of the watersheds and to review results of watershed management activities conducted in the preceding years. Wildlife, stock, and human activities continue to be the potential contamination sources.
- The latest sanitary survey for the Delta and the State Water Project was completed in June 2017. Surface water is most vulnerable to contaminants as it travels through the Sacramento and San Joaquin watersheds and the Delta. After leaving the Delta, water is transported to ACWD via the South Bay Aqueduct (SBA). SBA water quality may also be vulnerable to pollution from local cattle grazing, wildlife activities, and recreational activities in the watersheds of the Bethany and Del Valle reservoirs.
- A Drinking Water Source Assessment on ACWD's local groundwater sources was completed in 2002. These sources are most vulnerable to existing and historic gas stations, known contaminant plumes, leaking underground storage tanks, dry cleaners, metal plating/finishing/fabricating, and sewer collection. The latest Sanitary Survey of ACWD's water system was completed in 2018 by the State Board.


Although ACWD's water sources are vulnerable to potentially contaminating activities, our treatment and blending facilities purify your tap water to ensure compliance with the strict standards set by federal and state regulatory agencies. In addition, ACWD cooperates with other agencies and partners to protect imported water supplies and manages a number of groundwater protection programs to ensure the protection and reliability of local groundwater resources within the service area. Complete assessments may be reviewed at ACWD headquarters located at 43885 South Grimmer Boulevard in Fremont. To have a summary of the assessments sent to you, please call Mike Wickham, Water Production Manager, at (510) 668-6516.



Where Our Water Comes From

ACWD supplies water to the Tri-City area from four sources.

- **Treated surface water** is imported from the Sacramento-San Joaquin Delta and/ or Lake Del Valle via the South Bay Aqueduct. This water is purified at our surface water treatment plant and then delivered to customers living in central and south Fremont.
- **Purchased San Francisco water** is surface water which originates in either Hetch Hetchy Reservoir in Yosemite National Park, or locally in Calaveras or San Antonio Reservoirs in the Alameda Creek watershed. Hetch Hetchy water meets all federal and state criteria for watershed protection, disinfection treatment, bacteriological quality, and operational standards and has thus been granted a filtration exemption by the U. S. EPA and the State Board. Water from the local reservoirs is treated by SFPUC at a water treatment plant. Water from the San Francisco system is normally delivered through Hetch Hetchy Aqueduct connections in Fremont. Additional connections in Fremont and Newark may be used to meet peak summer water demands and in times of emergency.
- **Blended water** consists of a combination of purchased San Francisco water and local groundwater. The groundwater supply comes from the Niles Cone Groundwater Basin which underlies the Tri-City area and is replenished through infiltration from local rainwater, runoff from the Alameda Creek watershed, and water from the South Bay Aqueduct. Purchased San Francisco water is blended with Peralta/Tyson and Mowry Wellfield water at our Blending Facility and is delivered to customers living in north Fremont, Union City, and parts of Newark.
- **Desalted or desalinated water** is produced at our Newark Desalination Facility (NDF) from brackish (slightly salty) local groundwater. The desalinated water produced by the NDF is blended with local groundwater to achieve a more balanced mineral content before being delivered to customers living in Newark.





2020 Water Quality Information

In 2020, the laboratory analysts and water treatment plant operators in ACWD's state-certified laboratories and satellite laboratories analyzed for more than 180 substances in ACWD treated water and found very few of them in your water. In all cases, the water was in compliance with federal and state standards for public health and safety. There are two types of standards ACWD is required to meet:

Primary Drinking Water Standards set limits for substances in water that may be harmful to humans if consumed in excess. They include MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards deal with aesthetic qualities such as taste and odor which relate to consumer acceptance rather than health factors.

A summary of key results for 2020 is presented in the following tables. Technical terms and abbreviations used in the tables are explained below.

DEFINITIONS

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Notification Level (NL): State Board health-based advisory levels used to provide information to public water systems and others about unregulated contaminants in drinking water. Unregulated contaminant monitoring helps the USEPA and the State Board to determine where certain contaminants occur and whether the contaminants need to be regulated.

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Response Level (RL): An advisory level at which the State Board recommends the source be taken out of service.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

ABBREVIATIONS

CaCO₃: Calcium Carbonate

mg/L: Milligrams per liter (which is equal to parts per million)

µg/L: Micrograms per liter (which is equal to parts per billion).

ppm: Parts per million (which is equal to milligrams per liter).

ppb: Parts per billion (which is equal to micrograms per liter).

ppt: Parts per trillion (which is equal to nanograms per liter).

µmhos/cm: Micromhos/centimeter.

NTU: Nephelometric turbidity units.

ND: The substance could not be found at the minimum amount that can be detected

NA: Not Applicable.

FOOTNOTES

(1) Refer to the "Distribution System Map" (page 3) to determine the type of water you typically receive based on your location.

(2) Compliance is based on a running annual average (RAA) of 12 monthly samples.

(3) Disinfectant residual in the distribution system consists of combined chlorine (chloramines); results are reported as Total Combined Chlorine.

(4) Fluoride in purchased San Francisco water includes both naturally-occurring fluoride and fluoride added by SFPUC to the regional supply upstream of ACWD.

(5) ACWD treats your water by adding fluoride to the naturally-occurring level in order to help prevent dental caries in consumers. The fluoride levels in treated water are maintained within a range of 0.6 - 1.2 ppm, as required by the State Board approved Fluoridation Monitoring and Operations Contingency plan.

(6) Five Haloacetic Acids is the sum of monochloroacetic acid, dichloroacetic acid, trichloroacetic acid, monobromoacetic acid, and dibromoacetic acid.

(7) Compliance is based on locational running annual average (LRAA) of distribution samples collected in 4 quarters.

(8) Total Trihalomethanes is the sum of chloroform, bromodichloromethane, dibromochloromethane, and bromoform.

(9) As of April 1, 2016 ACWD complies with both the California Total Coliform Rule and the federal Revised Total Coliform Rule.

(10) The percent of monthly samples that are Total Coliform-positive shall not exceed 5.0%.

(11) A Treatment Technique violation is received when any of the following occurs: (1) failure to conduct a Level 1 or Level 2 Assessment within 30 days of a trigger or (2) failure to correct all sanitary defects from a Level 1 or Level 2 Assessment within 30 days of a trigger or in accordance with a state-approved timeframe.

(12) The Treatment Technique for total coliforms requires an assessment and corrective action when a specified frequency of total coliform occurrence is exceeded.

(13) Turbidity is a measure of the cloudiness of water. It is used to indicate water quality and filtration effectiveness. Turbidity is measured in NTUs (nephelometric turbidity units).

(14) Treatment Technique (TT) performance standard: 0.3 NTU for filtered water in 95% of the measurements from WTP2 taken at 15-minute intervals each month and shall not exceed 1.0 NTU at any time. The treated surface water met these standards 100% of the time during 2020.

(15) Treatment Technique (TT) performance standard: 5 NTU for unfiltered water. The purchased SFPUC water

PRIMARY DRINKING WATER STANDARDS

Parameters	Units	Primary MCL or [MRDL]	{PHG} (MCLG) or [MRDLG]	Treated Surface Water ⁽¹⁾		Purchased San Francisco Water ⁽¹⁾		Blended Water ⁽¹⁾		Desalinated Water ⁽¹⁾		Major Sources	
				Range	Average	Range	Average or [Max.]	Range	Average	Range	Average		
Bromate	ppb	10	{0.1}	Highest RAA ⁽²⁾ = 1.2 (Range of individual detections: ND - 8.5)								Disinfection by-product	
Disinfectant Residual (as Cl ₂) ⁽³⁾	ppm	[4]	[4]	Annual Average = 2.0 (Range of individual detections: 0.10 - 3.5)								Disinfectant residual	
Fluoride (naturally-occurring)	ppm	2	{1}	0.10	0.65 - 0.68 ⁽⁴⁾	0.66 ⁽⁴⁾	0.15 - 0.30	0.21	ND		Erosion of natural deposits		
Fluoride (treated water) ⁽⁵⁾	ppm	2	{1}	Average = 0.73 (Range: ND - 1.00)								Water additive that promotes strong teeth	
5 Haloacetic Acids (HAA5) ⁽⁶⁾	ppb	60	NA	Highest LRAA = 25 (Range of individual detections: ND - 25) ⁽⁷⁾								Disinfection by-products	
Nitrate (as N)	ppm	10	{10}	ND - .99	ND	ND	ND - 0.64	ND	0.57 - 0.64	0.60	Runoff from fertilizer use; erosion of natural deposits		
Nitrate + Nitrite (as N)	ppm	10	{10}	ND - .99	ND	ND	ND - 0.64	ND	0.57 - 0.64	0.60	Runoff from fertilizer use; erosion of natural deposits		
Total Trihalomethanes (TTHMs) ⁽⁸⁾	ppb	80	NA	Highest LRAA = 37 (Range of individual detections: ND - 37) ⁽⁷⁾								Disinfection by-products	
Total Coliforms ⁽⁹⁾	CA Total Coliform Rule	%	5.0 ⁽¹⁰⁾	{0}	Highest Monthly Percentage = 0.4 (Range of monthly percentages: 0 - 0.4)								Naturally present in the environment
	Federal Revised Total Coliform Rule	n/a	TT ⁽¹¹⁾	{TT} ⁽¹²⁾									
Turbidity ⁽¹³⁾	NTU		TT = 0.3 ⁽¹⁴⁾	NA	0.038 - 0.16	0.05	NA		Not subject to the turbidity monitoring requirement			Soil runoff	
			TT = 5 ⁽¹⁵⁾	NA	NA	0.2 - 0.5 ⁽¹⁶⁾	[1.3]						

Lead and Copper Sampling Program ⁽¹⁷⁾	Units	AL ⁽¹⁸⁾	PHG	Range	90th Percentile Value	Number of Samples Collected	Number of Samples above AL	Typical Sources in Drinking Water
Copper ⁽¹⁹⁾	ppm	1.3	0.3	ND - 0.6	0.3	66	0	Internal corrosion of household plumbing systems
Lead ⁽¹⁹⁾	ppb	15	0.2	ND - 29.7	5.7	66	2	Internal corrosion of household plumbing systems

SECONDARY DRINKING WATER STANDARDS

Parameters	Units	Secondary MCL	Treated Surface Water		Purchased San Francisco Water		Blended Water		Desalinated Water		Major Sources
			Range	Average	Range	Average	Range	Average	Range	Average	
Chloride	ppm	500	50 - 116	84	4.0 - 11.3	6.3	35 - 59	43	42 - 47	43	Runoff/leaching from natural deposits; seawater influence
Odor	units	3	ND - 1.4	ND	ND		ND		ND		Naturally-occurring organic materials
Specific Conductance	µmhos/cm	1,600	407 - 592	523	45 - 258	124	457 - 484	473	342 - 353	348	Substances that form ions when in water; seawater influence
Sulfate	ppm	500	20 - 48	32	1.1 - 33	12.0	29 - 53	39	18 - 20	19	Naturally-occurring minerals
Total Dissolved Solids	ppm	1,000	230 - 320	275	31 - 110	62	240 - 280	260	170 - 190	180	Naturally-occurring minerals and metals

PFAS (PER- AND POLYFLUOROALKYL SUBSTANCES) ⁽²⁰⁾

Parameters	Units	Response Levels ⁽²¹⁾	Notification Levels ⁽²²⁾	Treated Surface Water		Purchased San Francisco Water		Blended Water		Desalinated Water		Major Sources
				Range	Average	Range	Average	Range	Average	Range	Average	
Perfluorooctanesulfonic Acid (PFOS)	ppt	40	6.5	ND		ND		4.6 - 6.3	5.7	ND		Human-made substances that do not occur naturally in the environment.
Perfluorohexanesulfonic Acid (PFHxS)	ppt	NA	NA	ND		ND		ND - 4.1	ND	ND		

OTHER WATER QUALITY PARAMETERS

Parameters	Units	Other Regulatory Level	Treated Surface Water		Purchased San Francisco Water		Blended Water		Desalinated Water		Major Sources
			Range	Average	Range	Average	Range	Average	Range	Average	
Alkalinity	ppm as CaCO ₃	NA	80 - 100	92	ND - 78	35	111 - 146	135	72 - 86	81	Naturally-occurring minerals
Calcium	ppm	NA	17 - 21	19	3.3 - 20	9.5	28 - 33	31	12 - 14	13	Naturally-occurring mineral
Hardness ⁽²³⁾	ppm as CaCO ₃	NA	92 - 112	106	8 - 84	36	132 - 152	141	56 - 64	62	Naturally-occurring minerals
Magnesium	ppm	NA	11 - 13	12	0.21 - 6.9	2.5	13 - 14	13.5	6.1 - 6.9	6.5	Naturally-occurring mineral
pH	units	NA	7.7 - 8.4	8.1	8.2 - 9.5	8.9	7.5 - 7.8	7.6	8.1 - 8.8	8.5	Naturally-occurring minerals
Potassium	ppm	NA	1.8 - 3.1	2.5	ND - 1.0	0.3	1.0 - 1.5	1.3	ND		Naturally-occurring mineral
Sodium	ppm	NA	46 - 78	62	4.5 - 18	10.5	39 - 46	43	44 - 48	46	Naturally-occurring mineral

met this standard 100% of the time during 2020.

(16) Purchased SFPUC water turbidity is measured every 4 hours. These are monthly average turbidity values.

(17) In compliance with federal Lead and Copper Program requirements, 1 liter samples are taken by eligible customers from within their homes after a 6 to 12 hour stagnation period.

(18) Compliance is based on 90th percentile values, which should be less than the Action Level (AL).

(19) Due to consistently low sampling results, the State

Board approved reduced lead and copper monitoring frequency to once every 3 years. Results reported here were collected in 2018.

(20) In 2020, ACWD completed three rounds of voluntary monitoring for the presence of PFAS in groundwater and surface water sources, and the treated water being provided to our customers.

(21) In February 2020, the State Board revised the response level to 40 ppt for PFOS. The response level is the level at which the State Board recommends removal

of a drinking water source from service.

(22) In August 2019, the State Board revised the notification level to 6.5 ppt for PFOS. Notification levels are health-based advisory levels established by the State Board for chemicals in drinking water that lack MCLs.

(23) For customers who want to know their hardness value in grains per gallon (gpg), divide the provided hardness value by 17.1.



Essential Work Continues to Keep Your Water Flowing & Safe from COVID-19

To protect the public and staff from exposure to COVID-19, ACWD closed our administration building and customer lobby to the public in March 2020. Our 24/7 essential service continues to ensure your drinking water is safe and there when you need it: customer service, emergency response, infrastructure improvements, and water quality monitoring and testing remain uninterrupted.

ACWD assures customers the water delivered to your faucet remains safe from COVID-19. At the onset of the pandemic, bottled water flew off grocery shelves as some questioned tap water's safety from the virus. Though it is important to have bottled water on hand in an emergency, such as an earthquake, ACWD's tap water remains safe to drink. This report shows ACWD's water continues to meet strict state and federal drinking water quality standards. These comprehensive standards include disinfection processes for drinking water which are extremely effective against viruses, including coronaviruses such as COVID-19. To assist residents and businesses with COVID-19 resources relating to water service, please visit www.acwd.org/COVID19.

Thank you for your flexibility during these difficult times and we will get through this together.



A Note about Lead from the U.S. Environmental Protection Agency

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Alameda County Water District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (800-426-4791) or at www.epa.gov/lead.



ACWD's Voluntarily Monitoring Program for PFAS (Per- and Polyfluoroalkyl Substances)

PFAS (Per- and Polyfluoroalkyl Substances) are a group of synthetic compounds that have been widely used in the manufacturing of multiple products and are present in many areas of our daily lives, including water. Of particular interest are two compounds with established notification levels: Perfluorooctanoic Acid more commonly referred to as PFOA, and Perfluorooctanesulfonic Acid, or PFOS. Notification levels are health-based advisory levels established by the State Water Resources Control Board Division of Drinking Water (State Board) for contaminants that may be regulated in the future.

ACWD is committed to delivering safe drinking water to our customers, which is why we proactively monitor for PFAS in groundwater and surface water supplies. Our testing confirms that no ACWD customers are receiving water with concentrations of PFOA/PFOS above the notification levels. Although ACWD detected PFOA and/or PFOS above the notification levels in certain wells, these groundwater sources were treated to reduce the contaminant level below the notification levels and met all state and federal drinking water quality standards. The results from ACWD's PFAS monitoring conducted in 2020 are summarized on page 4 of this report, and include a detection of PFHxS (Perfluorohexanesulfonic Acid) with no notification level established. For additional information about PFAS, including more recent monitoring results, visit our website at www.acwd.org/pfas. View the factsheet, the State Board website www.waterboards.ca.gov/pfas, and/or USEPA website www.epa.gov/pfas.



Connect With Us

If you have any questions or need any more information about the quality of your water, please let us know. We would also appreciate any comments you have about this report. We can be reached by phone at (510) 668-4200, fax (510) 770-1793, on the Internet at www.acwd.org, or by mail at: Alameda County Water District, P.O. Box 5110, Fremont, CA 94537. Mike Wickham, Water Production Manager, can be reached at (510) 668-6516.

YOUR VIEWS ARE WELCOME

Meetings of ACWD's Board of Directors typically begin at 6:00 p.m. on the second Thursday of each month and are open to the public. Meetings are currently held online through Zoom, but will return to the ACWD Board Room at the District's headquarters at 43885 South Grimmer Boulevard in Fremont as COVID-19 restrictions permit. Further information regarding the Board meeting schedule and how to attend online meetings can be found on our website at www.acwd.org/AgendaCenter.

2020 Water Quality Report

*A publication of the
Alameda County Water District*

BOARD OF DIRECTORS

Aziz Akbari, President
John H. Weed, Vice President
James G. Gunther
Judy C. Huang
Paul Sethy

BUSINESS OFFICE

43885 South Grimmer Blvd.
Fremont, CA 94538
510.668.4200
www.acwd.org



www.acwd.org

